

L Number	Hits	Search Text	DB	Time stamp
-	1	decompos\$4 near4 test near5 suite\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 16:15
-	16	automatic\$6 near5 generat\$4 n ar5 component\$2 and manual\$3 near5 (generat\$3 or develop\$3) near5 component\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 08:18
-	342	skeleton near5 description	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 16:32
-	3	skeleton near5 definition near5 language	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 16:34
-	47	skeleton near5 language	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 16:37
-	136	skeleton near5 tool	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 16:37
-	13	automatic\$6 same manual\$4 same component\$2 and test near5 suite\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 08:33
-	51	(automatic\$6 and manual\$4) same component\$2 and test near5 suite\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/09 11:09
-	8	(generate or develop) same component\$2 same test near5 suite\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 08:43
-	207	(generate or develop) same component\$2 and test near5 suite\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 09:13
-	53	(generate or develop) near5 component\$2 and test near5 suite\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 09:41
-	5	(template or skeleton) near5 description\$2 and test near5 suite\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 10:20
-	118	API and test near5 suite\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 11:00

-	26	test near5 suite\$2 near5 description\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 11:19
-	1	test near5 suite\$2 same d compose	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 11:28
-	74	test near5 suite\$2 same separate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 12:05
-	9	test near5 suite\$2 same resolve	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 12:05
-	11	test near5 suite\$2 same (resolve or break\$down)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 12:07
-	10	test near5 suite\$2 same tool same generate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 13:32
-	34	template near5 tool\$2 same generate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 13:34
-	135	template near5 tool\$2 same generat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 13:48
-	100	compil\$6 near5 test\$4 near5 source	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 14:16
-	77	component\$2 same test adj suite\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 14:26
-	39	component\$2 same test adj suite\$2 and (automatic\$5 and manual\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 14:32
-	191	template same test same verif\$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 14:34
-	9	template\$2 same test same verif\$8 same component\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 14:35

-	17	template\$2 same test\$4 same verif\$8 same compon nt\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 14:40
-	93	defin\$6 sam schem \$2 same procedure same test\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 14:48
-	56	procedure adj testing same defin\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 16:41
-	25	define near5 (scheme or method) near5 testing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 16:59
-	111	(examine or analyze or inspect) near5 test near5 (suite\$2 or procedure\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/09 08:19
-	12	(examine or analyze or inspect) near5 test near5 (suite\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/09 08:21
-	117	slot near5 descriptor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/09 09:57
-	1	creat\$5 near5 slot near5 descriptor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/09 08:22
-	118	slot near5 (descriptor or descriptor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 11:06
-	6	repetitor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/09 10:05
-	13	(expos\$4 or analyz\$4 or determin\$4) near5 hierarch\$8 and test adj suite\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/09 10:12
-	153	(expos\$4 or analyz\$4 or determin\$4) near5 hierarch\$8 same (test adj suite\$2 or procedure)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/09 10:43
-	391	(expos\$4 or analyz\$4 or determin\$4) same (test adj (suite\$2 or procedure)) same component\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/09 10:53

-	122	(automatic\$6 and manual\$4) same component\$2 same (generat\$4) same test	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/09 11:17
-	221	(automatic\$6 or manual\$4) near5 component\$2 near5 (generat\$4) and t st	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/09 11:28
-	3	(automatic\$6 or manual\$4) near5 component\$2 near5 (generat\$4) and implementation adj language	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/09 11:30
-	29	(automatic\$6 or manual\$4) near5 component\$2 near5 (generat\$4) same language	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/09 12:56
-	11	template\$2 near5 description\$2 same scheme\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/09 12:57
-	18	("4595981" "5357452" "5359546" "5371883" "5421004" "5604906" "5651111" "5784553" "5915113" "6011918" "6080207" "6108697" "6182245" "6192477" "6195765" "6240442" "6256704" "6304982").PN.	USPAT	2003/04/10 08:54
-	1	test adj suite same identify same (repe\$8 or loop)	USPAT	2003/04/10 08:57
-	14	identify near5 (repe\$8 or loop) and test adj suite	USPAT	2003/04/10 09:15
-	34	(identify or determine) near5 (repe\$8 or loop) and test adj suite	USPAT	2003/04/10 09:15
-	1	creat\$4 near5 slot near5 (descriptor or descriptor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 11:11
-	3	creat\$4 near5 (descriptor or descriptor) near5 slot\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 11:13
-	5	creat\$4 near5 (descriptor\$2 or descriptor\$2) near5 slot\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 11:15
-	10	creat\$4 near5 (descriptor\$2 or descriptor\$2) same slot	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 11:23
-	15	creat\$4 near5 (descriptor\$2 or identifier\$2) near5 slot	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 12:56
-	31	descri\$6 near5 slot near5 component\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 13:58
-	24	(creat\$6 or develop\$4 or produc\$4) near5 descri\$6 near5 slot	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 14:22

-	59	(creat\$6 or d velop\$4 or produc\$4 or mak\$4 or build\$4 or construct\$5) n ar\$5 descri\$6 near\$5 slot	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 14:36
-	127	(descri\$6 or represent\$2 or defin\$4 or specify) near\$5 slot n ar (component\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 14:55
-	3	test\$4 near\$5 suite\$2 near\$5 (parameter\$2 and sequence\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 14:58
-	20	test\$4 near\$5 suite\$2 same (parameter\$2 and sequence\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 15:00
-	1	test\$4 near\$5 suite\$2 same (sequence\$2) near\$5 (procedur\$2 or routine\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 15:04
-	3	test\$4 near\$5 suite\$2 same (sequence\$2) near\$5 (procedur\$2 or routine\$2 or group)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 15:15
-	120	file near\$5 parameter\$2 near\$5 component\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 16:00
-	1	create near\$5 file near\$5 parameter\$2 near\$5 component\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 15:18
-	430	test\$4 near\$5 group\$4 near\$5 procedure\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 16:05
-	305	depend\$6 near\$5 parameter\$2 same (scheme)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 17:41
-	919	describ\$4 near\$4 slot\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 17:48
-	1	describ\$4 near\$4 slot\$2 near\$5 component	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 17:50
-	22	describ\$4 near\$4 slot\$2 near\$5 receiv\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 17:52

-	1	describ\$4 near4 slot\$2 near5 test	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 17:52
-	36	d scrib\$4 n ar4 slot\$2 same compon nt\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 17:55
-	144	describ\$4 near4 slot\$2 same receiv\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/11 09:12
-	121	slot\$2 near5 component\$2 same test	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 18:03
-	614	feature near5 identifier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/11 09:13
-	36	feature near5 identifier and decompos\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/11 10:53
-	1	feature near5 identifier and decompos\$4 and creator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/11 10:55
-	122	creator near5 (function or routine)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/11 11:05